



NEOPRENE WFQ (White Food Quality)

MATERIAL SPECIFICATION SHEET

PROPERTY	VALUE	UNIT
Elastomer	Neoprene Food Grade	
Colour	White	
Grade	C35	
Hardness	60°	Shore A
Specific Gravity	1.50	g/cm ²
Tensile Strength	10	MPa
Elongation at Break	600	%
Tear Strength	23	Kg/cm
Compression Set	18	%
Abrasion Resistance	160	mm ³
Working Temperature	-30 to +125	°C

Compounded from a list of FDA approved materials Part 177 – indirect food additives Sec 177.2600
Rubber articles intended for repeated use.



The company's products are used for a multiplicity of purposes and as the company has no control over the method of their applications or use, the company excludes all conditions or warranties, expressed or implied by statute or otherwise, as to their products and/or their fitness for any particular purpose. Any technical co-operation between the company and the customer is given for customers assistance only and without liability on the part of the company